SCHEDULE 1—MINIMUM BOUNDARY SETBACKS FOR BUILDINGS AND OTHER STRUCTURES

1. Table 1-1 lists **Standard** minimum boundary *setbacks* for zones.

Table 1-2 lists Exceptions for specific premises.

Table 1-3 lists **Exceptions** for specific uses.

- 2. The minimum boundary *setbacks* in the tables apply to
 - a) each building on a premises; and
 - b) structures whether or not located on the same premises as a building.
- 3. However, subsection 2 does not apply to
 - a) class 10a buildings, except in relation to
 - i garages and carports in front setback areas;
 - ii class 10a buildings in the Rural and Rural Settlement Zones;
 - iii Coastal Protection Precinct¹ setbacks in Table 1-2; or
 - iv Noosa Waters Estate setbacks in Table 1-2.
 - b) class 10b structures 1m or less in height if
 - i a screen or fence 2m or less in height; or
 - ii rainwater tanks 2.4m or less in height in the Rural and Rural Settlement Zones.
- 4. The setbacks in more than 1 table may apply.
- **5.** If there is a conflict between minimum boundary setbacks in Table 1-1, Table 1-2 or Table 1-3, the greater boundary setback prevails.
- 6. If there is a conflict between the minimum boundary setbacks in Table 1-1, Table 1-2 or Table 1-3 and the conditions of an existing development permit affecting the siting of buildings on the premises, including an approved building envelope for the premises, the conditions prevail.

Table 1-1—Standard minimum setbacks for Zones²

column 1 Zone	Column 2 Minimum setbacks
Detached Housing Zone	Frontage—6m
	Rear boundary–
	 a) where the lot has an area of at least 550m² rear setbacks comply with either: —
	i) 3.0m setback up to 4.5m height; and 6.0m

¹ The Coastal Protection Precinct is shown on the Natural Resource Overlay Maps for certain localities.

² If there are no applicable setbacks in either Tables 1-1, 1-2 or 1-3, the siting provisions of Parts 11 and 12 of the *Queensland Development Code* apply.

column 1 Zone	Column 2 Minimum setbacks
	setback between 4.5m -8.0m height OR
	 ii) no part of the building protrudes beyond a projection line that rises from 1.8m above the ground at the property boundary to a point 8m in height 6m in from the property boundary as shown in Figure 1 below
	 b) Where the lot area is less than 550m² the rear boundary setback is per "other boundaries" as specified in a) to c) below
	 c) Where the rear boundary of a lot adjoins a reserve, public open space or access easement the rear boundary setback may be as for "other boundaries" as specified in a) to c) below
	 d) Where the property is a corner lot, both common property boundaries shall be considered as "other boundaries" as specified in a) to c) below.
	Figure 1
	Property Boundary Buetre height 6 metre setback
	 Other boundaries— a) 1.5m setback up to 4.5m height; b) 2m setback between 4.5m - 7.5m height; and c) 2m plus 0.5m for every 3m or part thereof above 7.5m height.
Semi-Attached Housing Zone	 Frontage— a) for 1 or 2 storey building – 6m; or b) for 3 storey building – 6m for the first 2 storeys and 10m for the third storey
	Side boundaries—a)1.5m setback up to 4.5m height;b)2m setback between 4.5m - 7.5m height; andc)2m plus 0.5m for every 3m above 7.5m height

column 1 Zone	Column 2 Minimum setbacks
	or part thereof Rear boundary —6m
Attached Housing Zone	 Frontage— a) for 1 or 2 storey buildings – 6m; or b) for 3 storey or 4 storey buildings – 6m for the first 2 storeys and 10m for any storey thereafter
	Side boundaries—half the building height in metres calculated at that same point provided that on any gable roof the calculation shall be measured to half the height of the gable
	 Rear boundary— a) for 2 storey buildings – 6m; or b) for 3 storey or 4 storey buildings – 6m for the first 2 storeys and 8m for any storey thereafter
Visitor Mixed Use Zone	 Duke Street, Sunshine Beach— a) 2m from the front boundary for the ground floor; b) 6m from the front boundary for the 2nd storey; c) 9m from the front boundary for the 3rd storey; d) 3m from side boundaries; e) 6m from the rear boundary for buildings up to 2 storeys; and f) 10m from the rear boundary for the 3rd storey.
	Heron Street site, Peregian Beach—
	 a) from Heron Street – 3m b) from David Low Way – 4.5m c) from Kingfisher Drive – 6m d) from the truncated corner of Heron Street and Kingfisher Drive –10m e) from boundaries that adjoin land in a residential zone – 3m.
	In the Noosa Heads Locality for the northern side
	 of Hastings Street— a) 2m, average of 4m from the front boundary to Hastings Street for the ground floor and 2nd <i>storey</i>; b) 7m from the front boundary to Hastings Street above the 2nd <i>storey</i>; and c) 10m from the front boundary to The Parade
	(beach). In the Noosa Heads Locality for the southern side
	 of Hastings Street, west of Noosa Drive— a) 2m, average of 4m from the front boundary to Hastings Street for the ground floor and 2nd storey; b) 10m from the front boundary to Hasting Street above the 2nd storey; and c) 7m from front boundary to Noosa Drive and Noosa Parade.
	In the Noosa Heads Locality for the southern side of Hastings Street, east of Noosa Drive—

column 1	Column 2
Zone	Minimum setbacks
	a) 2m, average 4m from the front boundary to
	Hastings Street and Noosa Drive for the ground
	floor and 2nd <i>storey</i>;b) 10m from the front boundary to Hastings Street
	and Noosa Drive above the 2nd storey; and
	c) 6m from the front boundary to Morwong Drive.
	In the Noosaville Locality—
	a) 6m from the front boundary for up to 2 storeys;
	b) 10m from the front boundary for the 3rd storey;
	c) From side boundaries, a distance equal to half
	of the wall height;d) 6m from the rear boundary for up to 2 storeys;
	 d) 6m from the rear boundary for up to 2 storeys; and
	e) 8m from the rear boundary for the 3rd <i>storey</i> .
	In the Noosa North Shore Locality for the
	northern side of Beach Road, east of Maximillian Road—
	a) Frontage - 10m
	b) Other boundaries – 20m from land in an Open
	Space Conservation Zone.
	In the Noosa North Shore Locality for the
	southern side of Beach Road, east of Maximillian
	Road—
	a) Frontage – 20m
	b) Other boundaries – 20m from land in an Open
	Space Conservation Zone
Village Mix Zone	Frontage no setback required for the ground floor
	and 2m for the first floor
	Other boundaries—
	a) Standard – 0.0m; and
	b) Exception – 3m from boundaries that adjoin land
	in a residential zone.
Neighbourhood Centre Zone	In the Eastern Beaches Locality—
	a) 0.0m from the front and side boundaries for the Peregian Beach Neighbourhood Centre Zone;
	or
	b) 6m to all boundaries for the Sunrise Beach
	Neighbourhood Centre Zone.
	In the Noosa Heads Locality—
	a) 2m from the front boundary to Quamby Place;
	b) 0.0m to land in the Open Space Recreation
	Zone; c) 3m to land in a <i>residential zone;</i>
	In the Noosaville Locality—
	a) 6m from the front boundary to Weyba Road;
	b) 2m from the front boundary to Swanbourne Way
	c) 3m to land in a <i>residential zone.</i>
	In the Tewantin and Doonan Locality and

column 1	Column 2
Zone	Minimum setbacks
	Cooroibah Locality—
	 a) 6m to any road frontage b) 3 metres to other boundaries;
	 c) 0.0m to adjoining land in the Neighbourhood
	Centre Zone.
Business Centre Zone	Frontage-
	In the Cooroy Locality—
	a) for Elm Street, Pearl Street, Wattle Street and Kauri Street— 2.0m
	b) for all other streets and laneways no setback
	required.
	In the Noosa Heads Locality—no setback required
	for the ground floor and 2m for the second storey and
	6m for the third storey.
	In the Noosaville Locality—6m.
	In the Tewantin Locality—
	a) Standard—6m
	 b) Exceptions— i) 0.0m for ground floors facing Poinciana
	Avenue
	ii) 2.0m for ground floors facing Memorial
	Avenue or Diyan Street.
	Other boundaries —3m from boundaries that adjoin land in a <i>residential zone.</i>
Shire Business Centre Zone	Premises adjoining Open Space Conservation
	Zone—5m from the common boundary
	Premises adjoining the internal loop road—6m from
	that road for the 1^{st} and 2^{nd} storey and 9m from that
	road for the 3 rd storey.
Community Services Zone	Frontage—6m
	Other boundaries—
	a) Standard—2m
	b) Exception—3m from boundaries that adjoin land
	in a residential zone.
Industry Zone	Frontage-
	 a) 6m for primary road frontage; and b) 4.5m for secondary road frontages (where the
	premises has frontage to more than 1 road)
	Other boundaries—
	a) Standard—3m;
	b) Exceptions—
	i) 6m from boundaries that adjoin land in the
	Rural Settlement Zone;
	ii) 10m from boundaries that adjoin land in a residential zone; or
	iii) No setback for boundaries that adjoin land in
	the Industry Zone.
Rural Settlement Zone	Frontage—6m

column 1	Column 2
Zone	Minimum setbacks
	Other boundaries—
	a) Standard – 6m;
	b) Exceptions
	 i) 20m from boundaries adjoining land in an
	Open Space Conservation Zone;
	ii) 3m for lots 1000m ² or greater within
	Songbirds Estate or for lots less than
	1000m ² , the QDC applies)
Rural Zone	<i>Frontage</i> —10m
	Other boundaries—
	a) Standard—
	i 6m for sites less than 1ha; or
	ii otherwise 10m;
	b) Exception—20m from boundaries that adjoin
	land in an Open Space Conservation Zone.
Open Space Recreation Zone	Frontage-10m
	Other boundaries—
	a) Standard – 3m
	b) Exception – 10m from boundaries that adjoin
	land in a residential zone.
Open Space Conservation Zone	Frontage—10m
	Other boundaries—
	a) Standard – 3m
	b) Exception – 10m from boundaries that adjoin
	land in a residential zone.

Table 1-2—Exceptions for specific premises³

column 1	column 2 Minimum setbacks
Premises having frontage to the Noosa River	If in the Detached Housing , Semi Attached Housing , Attached Housing , Village Mix or Neighbourhood Centre Zone , buildings are setback not less than 10m from mean high water spring; or If in any other zone– 40m from mean high water spring or as otherwise prescribed by the Environmental Protection Agency's Erosion Prone Area Maps. ⁴
Premises in Coastal Protection Precinct– Eastern Beaches Locality	Standard –No further seaward than the coastal building line ⁵ Exception –where in accordance with the Coastal Protection Area provisions of the Natural Resources Overlay

 ³ If there are no applicable setbacks in either Tables 1-1, Table 1-2 or 1-3, the siting provisions of MP 1.1 and MP 1.2 of the *Queensland Development Code* apply.
 ⁴ The Erosion Prone Area map for the Noosa River is reproduced in Schedule 5.

⁵ The Coastal Building Line maps are available for viewing at the Council Offices. Contact the Land Use Section.

Premises adjoining a watercourse within the	4.5m from the centre line of the top of the concrete
Noosa Waters Estate being lots—	revetment wall
501RP839229,	
502RP839224,	
503RP839220,	
503RP839234,	
504RP839222,	
504RP839223,	
504RP839235,	
505RP839219,	
506RP845982,	
510RP856178,	
511RP856194,	
512RP863247,	
513RP868306,	
514RP883850,	
515RP883851 and	
516RP897361	

Table 1-3—Exceptions for specific uses⁶

column 1 Use	column 2 Minimum setbacks
Business Uses	
Entertainment and dining	For a hotel—
business Type 3 Bar	a) <i>Frontage</i> —15m for any part of a hotel not used for
	accommodation purposes
	b) Other boundaries—15m for any part of a hotel not used for
	accommodation purposes
Industrial business Type 3	<i>Frontage</i> 40m
Extractive	
	Other boundaries—40m
Retail business Type 1 Local	<i>Frontage</i> _6m
	Other boundaries—3m
Community Uses	
Education Type 1 Childcare	Frontage_6m
	Other boundaries—2m
Wellbeing Type 3 Worship	<i>Frontage</i> _6m
	Other boundaries—
	a) 10m to land in a <i>residential zone;</i> or
	b) 3m otherwise

⁶ If there are no applicable setbacks in either Tables 1-1, Table 1-2 or 1-3, the siting provisions of MP 1.1 and MP 1.2 of the *Queensland Development Code* apply.

column 1	column 2
Use	Minimum setbacks
Residential Uses	
Detached house within	Frontage—6m; or
Boreen Point village only	For any <i>building</i> within 9m of the primary <i>frontage</i>
	and more than 1 storey, has upper storeys set back at least 3m further from the primary <i>frontage</i> than the
	storey below
	Other Boundaries—1.5m setback up to 4.5m height;
	3m setback between 4.5m - 7.5m height; and 3m plus 0.5m for every 3m or part thereof above
	7.5m height.
Multiple housing Type 2	Frontage—6m for 1 or 2 storey building; or
Duplex	for 3 storey building - 6m for the first 2 storeys and
	10m for the third storey
	Side boundaries—1.5m setback up to 4.5m height;
	2m setback between 4.5m - 7.5m height; and 2m plus
	0.5m for every 3m above 7.5m height or part thereof
	Presidence former former
Multiple housing Type 3	Rear boundary—6m Frontage—6m for 2 storey buildings or
Retirement & special needs	for 3 storey or 4 storey buildings—6m for the first 2
OR	storeys and 10m for any <i>storey</i> thereafter
Multiple housing Type 4	
Conventional OR	Side boundaries—half the building height in metres calculated at that same point provided that on any gable roof the
Visitor accommodation Type	calculation shall be measured to half the height of the
4 Conventional	gable
	Rear boundary—6m for 2 storey buildings or for 3 storey or 4 storey buildings—6m for the first 2 storeys and 8m for
	any storey thereafter
	Where there are 2 or more buildings proposed to be developed on
	one site, the distance between any part of a building and any part of another building on the same site shall not be less than 1.5m
	plus 0.5m for each storey of the building with the greatest number
	of storeys.
Multiple housing Type 5	Frontage—20m
Relocatable	Other boundaries 10m
Visitor accommodation Type	Other boundaries—10m Frontage—20m
2 Caravan Park	
	Other boundaries—6m
Visitor accommodation Type	Frontage—10m
3 Rural accommodation	Other boundaries—10m