



































Tewantin Extreme Flood Alert Possible Consequences

This information is indicative only and has been derived from design flood estimations.
The consequences of actual flood events may differ from those listed here.

| Type | Primary | Extreme Event Hazard Level | Extreme Hazard Description |
|------|--------------------------------------|----------------------------|--|
| Road | Albert Street | ● | Potentially dangerous water levels over road |
| Road | Albert Street Carpark | ● | Potentially dangerous water levels over road |
| Road | Ann Street | ● | Potentially dangerous water levels over road |
| Road | Apex Park Carpark | ● | Potentially dangerous water levels over road |
| Road | Aquamarine Circuit | ● | Possible water over road |
| Road | Black Swan Road | ● | Potentially dangerous water levels over road |
| Road | Blakesley Street | ● | Potentially dangerous water levels over road |
| Road | Cardell Road - Jetty | ● | Potentially dangerous water levels over road |
| Road | Carramar Street | ● | Potentially dangerous water levels over road |
| Road | Cloudsley Street | ● | Potentially dangerous water levels over road |
| Road | Cooroy Noosa Road | ● | Potentially dangerous water levels over road |
| Road | Crank Street | ● | Possible water over road |
| Road | Creek Road | ● | Potentially dangerous water levels over road |
| Road | Daintree Way | ● | Potentially dangerous water levels over road |
| Road | Doonella Street | ● | Potentially dangerous water levels over road |
| Road | Earl Street | ● | Potentially dangerous water levels over road |
| Road | Edward Street | ● | Potentially dangerous water levels over road |
| Road | Elizabeth Street | ● | Potentially dangerous water levels over road |
| Road | Ely Park Carpark | ● | Potentially dangerous water levels over road |
| Road | Ely Park Public Amenities Carpark | ● | Potentially dangerous water levels over road |
| Road | Ernest Street | ● | Potentially dangerous water levels over road |
| Road | Eumundi Laundry Service Road | ● | Potentially dangerous water levels over road |
| Road | Frying Pan Track | ● | Potentially dangerous water levels over road |
| Road | Furl Street | ● | Potentially dangerous water levels over road |
| Road | George Street | ● | Potentially dangerous water levels over road |
| Road | Golf Course Drive | ● | Potentially dangerous water levels over road |
| Road | Goodchap Street | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - Albert to Thomas St | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - Cloudsley to Canal | ● | Potentially dangerous water levels over road |

| Type | Primary | Extreme Event Hazard Level | Extreme Hazard Description |
|------|---|----------------------------|--|
| Road | Gympie Terrace - East of Albert St | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - Edward to Car Park | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - Howard to William St | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - James to Edward Sts | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - The Cockleshell to Cloudsley St | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - Thomas St Roundabout | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - Thomas to The Cockleshell | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - West of Canal | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - Weyba Road Roundabout | ● | Potentially dangerous water levels over road |
| Road | Gympie Terrace - Weyba Road to Howard St | ● | Potentially dangerous water levels over road |
| Road | Hay Street | ● | Potentially dangerous water levels over road |
| Road | Headland Drive | ● | Potentially dangerous water levels over road |
| Road | Helm Court | ● | Potentially dangerous water levels over road |
| Road | Hilton Esplanade | ● | Potentially dangerous water levels over road |
| Road | Hilton Esplanade - Boat Ramp + Fire Station | ● | Potentially dangerous water levels over road |
| Road | Hilton Terrace | ● | Potentially dangerous water levels over road |
| Road | Hilton Terrace-Mill Street Service Road | ● | Potentially dangerous water levels over road |
| Road | Homeport Track | ● | Potentially dangerous water levels over road |
| Road | Homestead Lane | ● | Potentially dangerous water levels over road |
| Road | Howard Street | ● | Potentially dangerous water levels over road |
| Road | Hygieta Street | ● | Potentially dangerous water levels over road |
| Road | Iluka Link | ● | Potentially dangerous water levels over road |
| Road | Ivory Palms Resort Entrance | ● | Potentially dangerous water levels over road |
| Road | James Street | ● | Potentially dangerous water levels over road |
| Road | Janet Street | ● | Potentially dangerous water levels over road |
| Road | Laburnum Crescent | ● | Potentially dangerous water levels over road |
| Road | Lake Entrance Boulevard | ● | Potentially dangerous water levels over road |
| Road | Lake Street | ● | Potentially dangerous water levels over road |
| Road | Lake Street Service Road | ● | Potentially dangerous water levels over road |
| Road | Lake Weyba Drive | ● | Potentially dangerous water levels over road |
| Road | Lake Weyba Drive - Creek Road to beneath Eenie Creek Road | ● | Potentially dangerous water levels over road |
| Road | Lions Park Carpark | ● | Potentially dangerous water levels over road |
| Road | Mary Street | ● | Potentially dangerous water levels over road |
| Road | Maximillian Road | ● | Potentially dangerous water levels over road |






























| Type | Primary | Extreme Event Hazard Level | Extreme Hazard Description |
|------|--|---|--|
| Road | Mermaid Quay |  | Possible water over road |
| Road | Mill Street |  | Potentially dangerous water levels over road |
| Road | Moorindil Street |  | Potentially dangerous water levels over road |
| Road | Munna Point Caravan Park |  | Potentially dangerous water levels over road |
| Road | Nola Street |  | Potentially dangerous water levels over road |
| Road | Noosa Caravan Park |  | Potentially dangerous water levels over road |
| Road | Noosa District Sports Complex |  | Potentially dangerous water levels over road |
| Road | Noosa Parade - Howard St to Weyba Road eastbound |  | Potentially dangerous water levels over road |
| Road | Noosa Parade - Howard St to Weyba Road westbound |  | Potentially dangerous water levels over road |
| Road | Noosa Parade - Howard to William St eastbound |  | Potentially dangerous water levels over road |
| Road | Noosa Parade - Howard to William St westbound |  | Potentially dangerous water levels over road |
| Road | Noosa Parade - William St eastbound |  | Possible water over road |
| Road | Noosa Parade - William St westbound |  | Possible water over road |
| Road | Noosa River Drive |  | Potentially dangerous water levels over road |
| Road | Noosa River Foreshore Boat Ramp Carpark |  | Potentially dangerous water levels over road |
| Road | Noosa Springs Drive |  | Potentially dangerous water levels over road |
| Road | Noosa Yacht & Rowing Club Carpark |  | Potentially dangerous water levels over road |
| Road | Oceanmist Court |  | Potentially dangerous water levels over road |
| Road | Papertree Track |  | Potentially dangerous water levels over road |
| Road | Parkyn Court |  | Potentially dangerous water levels over road |
| Road | Read Street |  | Potentially dangerous water levels over road |
| Road | Redgum Court |  | Potentially dangerous water levels over road |
| Road | Riverstone Court |  | Potentially dangerous water levels over road |
| Road | Riverview Drive |  | Potentially dangerous water levels over road |
| Road | Road 134 |  | Potentially dangerous water levels over road |
| Road | Robert Street |  | Potentially dangerous water levels over road |
| Road | Russell Street |  | Potentially dangerous water levels over road |
| Road | Russell Street Carpark |  | Potentially dangerous water levels over road |
| Road | Sail Street |  | Potentially dangerous water levels over road |
| Road | Sandy Crescent |  | Potentially dangerous water levels over road |
| Road | Sandybanks Track |  | Potentially dangerous water levels over road |
| Road | Satinash Court |  | Potentially dangerous water levels over road |
| Road | Scott Court |  | Potentially dangerous water levels over road |
| Road | Seacove Court |  | Potentially dangerous water levels over road |

| Type | Primary | Extreme Event Hazard Level | Extreme Hazard Description |
|------------|---|----------------------------|--|
| Road | Shipwright Avenue | ● | Potentially dangerous water levels over road |
| Road | Shorehaven Drive | ● | Potentially dangerous water levels over road |
| Road | Stewart Court | ● | Potentially dangerous water levels over road |
| Road | Sunseeker Close | ● | Possible water over road |
| Road | Sydney Street | ● | Potentially dangerous water levels over road |
| Road | Tewantin Administration Building Carpark | ● | Potentially dangerous water levels over road |
| Road | Tewantin Ferry | ● | Potentially dangerous water levels over road |
| Road | Tewantin Info Centre Carpark | ● | Potentially dangerous water levels over road |
| Road | Tewantin Wading Pool & Boat Ramp Carpark | ● | Potentially dangerous water levels over road |
| Road | The Cockleshell | ● | Potentially dangerous water levels over road |
| Road | The Peninsula | ● | Potentially dangerous water levels over road |
| Road | Thomas Street | ● | Potentially dangerous water levels over road |
| Road | Wallaby Track | ● | Potentially dangerous water levels over road |
| Road | Werin Street | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Elizabeth St to Noosa Parade | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Elizabeth to Mary St | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Lake Wyba Dr to AFL Club | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Mary St to Lake Weyba Dr | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Noosa Parade Roundabout | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Noosa Parade to Gympie Tce | ● | Potentially dangerous water levels over road |
| Road | William Street | ● | Potentially dangerous water levels over road |
| Road | Wygani Drive | ● | Potentially dangerous water levels over road |
| Road | Werin Street | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Elizabeth St to Noosa Parade | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Elizabeth to Mary St | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Lake Wyba Dr to AFL Club | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Mary St to Lake Weyba Dr | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Noosa Parade Roundabout | ● | Potentially dangerous water levels over road |
| Road | Weyba Road - Noosa Parade to Gympie Tce | ● | Potentially dangerous water levels over road |
| Road | William Street | ● | Potentially dangerous water levels over road |
| Road | Wygani Drive | ● | Potentially dangerous water levels over road |
| Electrical | Switchboard Cabinet (In Foreshore between Albert and Edward St) | ● | Electrical switchboard potentially impacted |
| Commercial | Noosa River Houseboats | ● | Local businesses are likely to be impacted |
| Road | Boat Ramp - Noosa Wharf | ● | Potentially dangerous water levels over road |

| Type | Primary | Extreme Event Hazard Level | Extreme Hazard Description |
|--------------------|---|----------------------------|---|
| Recreation | Splash Park - Noosa Wharf | ● | Potentially dangerous water levels through playground |
| Toilets | Toilet block - Noosa Wharf Carpark | ● | Public toilets are likely to be impacted |
| Jetty | Noosa Wharf Carpark - Jetty 1 | ● | Potentially dangerous water levels over jetty |
| Jetty | Noosa Wharf Carpark - Jetty 2 | ● | Potentially dangerous water levels over jetty |
| Recreation | Noosa Wharf - Skatepark | ● | Recreational area likely to be impacted by dangerous water levels |
| Road | Hilton Esplanade Boat Ramp | ● | Potentially dangerous water levels over jetty |
| Emergency Services | Tewantin Fire & Rescue Station | ● | Emergency Services facility is likely to be impacted |
| Private | Mandalay units | ● | Private property is likely to be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| Private | Hilton Esplanade - Private Garages | ● | Private property may be impacted |
| Private | Hilton Esplanade - Private Garage | ● | Private property is likely to be impacted |
| Commercial | Noosa Fish Market - Hilton Tce | ● | Local businesses may be isolated |
| Private | Private Garage - Mill St | ● | Private property is likely to be impacted |
| Commercial | Noosa River Services | ● | Local businesses are likely to be impacted |
| Recreation | Outrigger boats | ● | Private equipment may be impacted |
| Private | Regency Apartments - Gympie Terrace | ● | Private property is likely to be impacted |
| Road | Pathway - Noosa Waters Entrance | ● | Potentially dangerous water levels over road |
| Commercial | Noosa Waterfront Restaurant - Gympie Terrace | ● | Local businesses may be impacted |
| Toilets | Public Toilets - Noosa Yacht Club | ● | Public toilets are likely to be impacted |
| Commercial | Noosa Yacht Club - Ground Floor | ● | Local businesses are likely to be impacted |
| Recreation | Pirate Playground | ● | Potentially dangerous water levels through playground |
| BBQ | Lions Park Picnic Shelter and Electric BBQ | ● | Electric BBQ likely to be impacted |
| Recreation | Lions Park Performance Stage | ● | Recreational area may be isolated by water levels |
| Electrical | Lions Park - Telstra Public Phone | ● | Electrical switchboard likely to be isolated |
| Electrical | Switch box - Lions Park | ● | Electrical switchboard may be isolated |
| Recreation | Outdoor Gym - Lions Park | ● | Recreational area likely to be impacted by dangerous water levels |
| BBQ | Picnic Shelter and Electric BBQs | ● | Electric BBQ likely to be impacted |
| Recreation | Outdoor Gym | ● | Recreational area likely to be impacted by dangerous water levels |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| Electrical | Main Switchboard Cabinet - Opposite Robert St | ● | Electrical switchboard likely to be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| Recreation | Park swings | ● | Potentially dangerous water levels through playground |
| Recreation | Outdoor Gym | ● | Recreational area likely to be impacted by dangerous water levels |

| Type | Primary | Extreme Event Hazard Level | Extreme Hazard Description |
|--------------|--|----------------------------|---|
| Commercial | Noosa River Adventures | ● | Local businesses are likely to be impacted |
| Commercial | Catalina Food Outlet | ● | Local businesses are likely to be impacted |
| Commercial | Pelican Boat Hire | ● | Local businesses are likely to be impacted |
| Recreation | Pelican | ● | Private equipment is likely to be impacted |
| Electrical | Padmounted Substation | ● | Electrical switchboard likely to be impacted |
| Electrical | Switchboard Cabinet (Opposite The Cockelshell) | ● | Electrical switchboard likely to be impacted |
| Commercial | The Jetty Cafe Restaurant | ● | Local businesses are likely to be impacted |
| Commercial | Boathouse Hire and Takeway | ● | Local businesses are likely to be impacted |
| Commercial | Noosa Boathouse floating restaurant | ● | Local businesses are likely to be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| Commercial | Retail Shops and Eateries | ● | Local businesses are likely to be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| Electrical | Subsurface services pits | ● | Electrical switchboard likely to be impacted |
| Commercial | Petrol Station - Cnr Albert St and Gympie Tce | ● | Local businesses may be isolated |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| Commercial | Jetty17 Boat & Kayak Hire + Old Salt Cafe | ● | Local businesses may be impacted |
| Commercial | U-Drive Boat Hire | ● | Local businesses are likely to be impacted |
| Electrical | Switch box Cabinet | ● | Electrical switchboard likely to be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| Electrical | Electric BBQ - Timber frame | ● | Electrical switchboard potentially impacted |
| Commercial | T Boat Hire | ● | Local businesses may be impacted |
| Private | Unit Garages | ● | Private property may be impacted |
| Private | Munna Pt Units - Gourd floor units | ● | Private property is likely to be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| Electrical | Telstra Public Phone | ● | Electrical switchboard may to isolated |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| State Agency | Qld State Government Fisheries | ● | State Agency facility may be impacted |
| BBQ | Electric BBQ | ● | Electric BBQ likely to be impacted |
| SewerPump | SewerPump_1-SPS-TWN001 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_2-SPS-TWN001 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_3-SPS-TWN002 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_4-SPS-TWN002 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_5-SPS-TWN005 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |

| Type | Primary | Extreme Event Hazard Level | Extreme Hazard Description |
|-----------|----------------------------|----------------------------|---|
| SewerPump | SewerPump_6-SPS-TWN005 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_7-SPS-TWN008 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_8-SPS-TWN008 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_9-SPS-TWN009 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_10-SPS-TWN009 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_11-SPS-TWN018 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_12-SPS-TWN018 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_13-SPS-NHD017 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_14-SPS-NHD017 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_15-SPS-NVL001 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_16-SPS-NVL001 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_17-SPS-NVL002 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_18-SPS-NVL002 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_19-SPS-NVL003 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_20-SPS-NVL003 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_21-SPS-NVL004 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_22-SPS-NVL004 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_24-SPS-NVL005 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_25-SPS-NVL006 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_26-SPS-NVL006 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_28-SPS-NVL010 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_29-SPS-NVL012 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_30-SPS-NVL012 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_31-SPS-NVL021 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_32-SPS-NVL021 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_33-SPS-NVL022 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_34-SPS-NVL022 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_35-SPS-NVL030 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_36-SPS-NVL030 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_37-SPS-NVL033 P1 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_38-SPS-NVL033 P2 | ● | Sewer pump station may be inundated |
| SewerPump | SewerPump_39-SPS-NVL037 P1 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_40-SPS-NVL037 P2 | ● | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_41-SPS-NVL040 P1 | ● | Sewer pump station may be inundated |

| Type | Primary | Extreme Event Hazard Level | Extreme Hazard Description |
|-----------|-----------------------------------|---|---|
| SewerPump | SewerPump_42-SPS-NVL040 P2 |  | Sewer pump station may be inundated |
| SewerPump | SewerPump_43-SPS-NVL040 P3 |  | Sewer pump station inundated. Beware of overflow contamination. |
| SewerPump | SewerPump_44-SPS-NVL040 P4 |  | Sewer pump station inundated. Beware of overflow contamination. |
| Bus Stop | Bus Stop 700456 Weyba Road |  | Bus Stop may be impacted |
| Bus Stop | Bus Stop 700604 Cooroy Noosa Road |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700512 Ernest Street |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700511 Hilton Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700590 Gympie Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700676 Gympie Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700458 Lake Weyba Drive |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700644 Weyba Road |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700591 Gympie Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700589 Gympie Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700753 Mary Street |  | Bus Stop may be impacted |
| Bus Stop | Bus Stop 700596 Noosa Parade |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700587 Gympie Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700593 Gympie Terrace |  | Bus Stop may be impacted |
| Bus Stop | Bus Stop 700588 Gympie Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700882 Golf Course Drive |  | Bus Stop may be impacted |
| Bus Stop | Bus Stop 700767 Weyba Road |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700486 Earnest Street |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700510 Hilton Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700522 Weyba Road |  | Bus Stop may be impacted |
| Bus Stop | Bus Stop 700521 Weyba Road |  | Bus Stop may be isolated |
| Bus Stop | Bus Stop 700753 Mary Street |  | Bus Stop may be impacted |
| Bus Stop | Bus Stop 700584 Noosa Parade |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700585 Weyba Road |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700592 Gympie Terrace |  | Bus Stop likely to be impacted |
| Bus Stop | Bus Stop 700503 Hilton Terrace |  | Bus Stop likely to be impacted |